


Details of valve connecting with actuator





Date: 24/05/2016

No.	Discription	Size	Torque(N.M)	Size to mount the actuator				Mounting pad price/pcs	Mounting pad stadard
				A(mm)	B(mm)	C(mm)	D(mm)		
1	True union ball valve, UPVC/CPVC valve body	1/2"	2	50	6.5	14	11		ISO 5211
2		3/4"	4	50	6.5	14	11		ISO 5211
3		1"	4	50	6.5	14	11		ISO 5211
4		1 1/4"	5	50	6.5	14	11		ISO 5211
5		1 1/2"	6	50	6.5	14	11		ISO 5211
6		2"	14	50	6.5	14	11		ISO 5211
7		2 1/2"	40	70	9	16	14		ISO 5211
8		3"	50	70	9	16	14		ISO 5211
9		4"	60	70	9	16	14		ISO 5211



No.	Discription	Size	Torque(N.M)	Size to mount the actuator				Mounting pad price/pcs	Mounting part stadard
				A(mm)	B(mm)	C(mm)	D(mm)		
1	Eccentric butterfly valve, UPVC/CPVC valve body and disc	DN50	8	25	70	9	11	no need	ISO 5211
2		DN65	8	25	70	9	11	no need	ISO 5211
3		DN80	8	25	70	9	11	no need	ISO 5211
4		DN100	11	30	70	9	14	no need	ISO 5211
5		DN125	22	20	70	9	14	no need	ISO 5211
6		DN150	35	24	70	9	17	no need	ISO 5211
7		DN200	50	30	70	9	17	no need	ISO 5211
8		DN250	65	35	102	11	22	no need	ISO 5211
9		DN300	80	35	102	11	22	no need	ISO 5211



This part is according to ISO 5211. Take off the lever, mount the actuator on valve.



No.	Discription	Size	Torque(N.M)	Remark
1	General butterfly valve,UPVC/C PVC valve body and disc	2"	25	This type valve is usually in handle or gear type, few connecting with actuator. If you need the other details, please tell me.
2		2 1/2"	25	
3		3"	25	
4		4"	30	
5		5"	40	
6		6"	50	
7		8"	80	
8		10"	150	
9		12"	250	
10		14"	300	
11		16"	400	

